ELSEVIER

Volume 269 Numbers 1–2, 1 May 1998

Journal of ALLOYS AND COMPOUNDS

Contents

Letters

Crystallographic data of new ternary TiNiSi (Co_2Si)-type RMnGe (R=Sm, Gd, Dy–Tm) compounds L1
A.V. Morozkin, Yu.D. Seropegin, I.A. Sviridov (Moscow, Russia)

X-ray single crystal refinement of the Ho_5Si_4 structure L6
I. Ijjaali, G. Venturini, B. Malaman (Vandoeuvre lès Nancy, France)

Investigation of the thermal conductivity of selected compounds of lanthanum, samarium and europium L9
G. Suresh, G. Seenivasan, M.V. Krishnaiah, P.S. Murti (Kalpakkam, India)

High-resolution electron microscopy of the ε-Al_5Co_2, a monoclinic approximant of the Al–Co decagonal quasicrystal L13
X.Z. Li, K. Hiraga (Sendai, Japan)

$Bi_2Sr_2CaCu_2O_x$ thick films on alumina substrates without buffer layers L16
E. Ban, T. Yoshimura, Y. Matsuoka (Nagoya, Japan)

Physics

The effect of Ag-doping on the magnetic behaviour of Bi–(Pb)–Sr–Ca–Cu–O ceramic superconductors 1
S. Bolat, S. Çelebi (Trabzon, Turkey), A. Gencer (Ankara, Turkey), H. Cömert, E. Yanmaz (Trabzon, Turkey)

Structure and disorder phenomena of cubic $Al_{10}Fe_2Pd_2$ in comparison with related structures 7
F.J. Edler, V. Gramlich, W. Steurer (Zurich, Switzerland)

Effect of substitution of magnetic rare earths for La on the structure, electric transport and magnetic properties of $La_2SrFe_2O_7$ 13
I.B. Sharma, D. Singh, S.K. Magotra (Jammu, India)

Magnetic and electrical properties of the pseudo-binary $GdCu_{5-x}Al_x$ compounds 17
L.D. Tung (Amsterdam, The Netherlands and Hanoi, Vietnam), K.H.J. Buschow, J.J.M. Franse, P.E. Brommer, H.G.M. Duijn, E. Brück (Amsterdam, The Netherlands), N.P. Thuy (Hanoi, Vietnam)

Magnetic structures of PrPdSn and NdPdSn 25
M. Kolenda, S. Baran, A. Oleś (Kraków, Poland), N. Stüsser (Berlin-Wannsee, Germany), A. Szytuła (Kraków, Poland)

Crystal and electronic structure of the new compound $ZrCuSn_2$ 29
N.O. Koblyuk, V.M. Davydov (Lviv, Ukraine), D. Fruchart (Grenoble, France), L.P. Romaka, R.V. Skolozdra (Lviv, Ukraine), J. Tobola (Krakow, Poland)

Magnetic properties of the $UCoAl_{1-x}Ga_x$ intermetallic system 34
A.V. Andreev (Sendai, Japan and Prague, Czech Republic), Y. Homma, Y. Shiokawa (Sendai, Japan), V. Sechovský (Prague, Czech Republic)

Hydrogen diffusion in Dy_2Fe_{17} 39
N. Mommer, H. Reule, M. Hirscher, H. Kronmüller (Stuttgart, Germany)

Reduced magnetic moments in UNiSi 43
K. Prokeš (Amsterdam, The Netherlands), M. Diviš, P. Mohn, K. Schwarz (Vienna, Austria), V. Sechovský, P. Svoboda (Prague, Czech Republic), M. Richter (Dresden, Germany), K.H.J. Buschow, E. Brück, F.R. de Boer (Amsterdam, The Netherlands)

Chemistry

Reactions of hexafluorides of uranium, neptunium, and plutonium with nitrogen oxides and oxyfluorides. Synthesis and characterization of $(NO)[NpF_6]$ and $(NO)[PuF_6]$ 50
P.G. Eller (Los Alamos, NM, USA), J.G. Malm (Napierville, IL, USA), B.I. Swanson (Los Alamos, NM, USA), L.R. Morss (Argonne, IL, USA)

Synthesis and magnetic behaviour of the novel Pr_2BaCuO_5 oxide 57
R. Sáez-Puche, S.R. Herrera, J.L. Martínez (Madrid, Spain)

Elsevier Science S.A.

Rietveld analysis of the ordering in V_8C_7 60
D. Rafaja, W. Lengauer, P. Ettmayer (Vienna, Austria), V.N. Lipatnikov (Ekaterinburg, Russia)

Reactions of dioxygen difluoride with neptunium oxides and fluorides 63
P.G. Eller, L.B. Asprey, S.A. Kinkead, B.I. Swanson, R.J. Kissane (Los Alamos, NM, USA)

Synthesis and structure of trisodium (ethylenediaminetetraacetato)europate(II) chloride heptahydrate 67
P. Starynowicz (Wrocław, Poland)

High temperature thermodynamic stabilities of $RCoO_3$ (R=Nd, Sm, Eu, Gd or Dy) using solid oxide-electrolyte emf technique 71
R. Subasri, R. Pankajavalli, O.M. Sreedharan (Kalpakkam, India)

Cationic distribution and its influence on the luminescent properties of Fe^{3+}-doped $LiAl_5O_8$ prepared by wet chemical methods 75
T.R.N. Kutty, M. Nayak (Bangalore, India)

Mutual separation characteristics of neighbouring rare earth elements Nd, Sm, Eu and Gd using stepwise chlorination–chemical vapour transport 88
Y.-H. Sun, Z.-C. Wang, L. Guo (Liaoning, China)

Na_5AuSe_{12}-the first selenoaurate(III) with discrete complex anions 92
K.O. Klepp, C. Weithaler, M. Sing (Linz, Austria)

Study of some ternary and quaternary systems based on γ-Ce_2S_3 using oxalate complexes: stabilization and coloration 98
S. Romero, A. Mosset, J.C. Trombe (Toulouse, France)

Thermodynamic studies of the In–Se system 107
G.P. Vassilev, B. Daouchi, M.-C. Record, J.-C. Tedenac (Montpellier, France)

Characterization and catalytic properties of CeO_2–ZrO_2 ultrafine particles prepared by the microemulsion method 116
T. Masui, K. Fujiwara, Y. Peng, T. Sakata, K.-i. Machida, H. Mori, G.-y. Adachi (Osaka, Japan)

Metallurgy

Thermodynamics of the Pb–Pd system 123
V. Vassiliev, G.F. Voronin (Moscow, Russia), G. Borzone (Genova, Italy), M. Mathon, M. Gambino, J.P. Bros (Marseille, France)

New phosphides of IVa and Va group metals with TiNiSi-type 133
Ya.F. Lomnytska, Yu.B. Kuz'ma (L'viv, Ukraine)

Development of Al–5%Ti–1%B master alloy 138
T.S. Krishnan, P.K. Rajagopalan, B.R. Gund, J. Krishnan, D.K. Bose (Bombay, India)

Hydrogen in $HfTi_2$ alloy: a formation of the hydrogen-stabilized $HfTi_2H_x$ phase with the C15-type host lattice 141
V.N. Kozhanov, A.V. Skripov, E.P. Romanov (Ekaterinburg, Russia)

A thermodynamic description of the Fe–Co–Gd system 144
X. Su, W. Zhang, Z. Du (Beijing, P.R. China)

Investigation of the interactions of the components in the Sm–Pd–Ge system 151
J.M. Kurenbaeva, Yu.D. Seropegin (Moscow, Russian Federation), O.I. Bodak (Lviv, Ukraine), V.N. Nikiforov (Moscow, Russian Federation)

Isothermal cross-section of the Ce–Pd–Ge phase diagram at 600°C 157
Yu.D. Seropegin, A.V. Gribanov (Moscow, Russian Federation), O.I. Bodak (Lviv, Ukraine)

Deuterium absorption properties and crystal structure of UNiAl 162
T. Yamamoto (Sendai, Japan), Y. Ishii (Ibaraki, Japan), H. Kayano (Sendai, Japan)

Optimization of the binary Ce–Ru system 166
N. Selhaoui (Agadir, Morocco), J. Charles (Vandoeuvre lès Nancy, France), L. Bouirden (Agadir, Morocco), J.C. Gachon (Vandoeuvre lès Nancy, France)

Phase equilibria and stability of the B2 phase in the Ni–Mn–Al and Co–Mn–Al systems 173
R. Kainuma, M. Ise, K. Ishikawa, I. Ohnuma, K. Ishida (Sendai, Japan)

Standard enthalpies of formation of some alloys formed between group IV elements and group VIII elements, determined by high-temperature direct synthesis calorimetry. II. Alloys of (Ti, Zr, Hf) with (Co, Ni) 181
Q. Guo, O.J. Kleppa (Chicago, IL, USA)

Phase equilibria in the Nb–Fe–Cr–Si System 187
M. Vilasi, M. Francois, H. Brequel, R. Podor, G. Venturini, J. Steinmetz (Vandoeuvre lès Nancy, France)

Phase equilibria in the Sc–Zr–C system 193
L.V. Artyukh, T.Ya. Velikanova, S.M. Ilyenko (Kiev, Ukraine)

Thermodynamic properties of Y_2O_3 phases and the yttrium–oxygen phase diagram 201
V. Swamy, H.J. Seifert, F. Aldinger (Stuttgart, Germany)

Nucleation and growth versus spinodal decomposition in Fe–Cr alloys: Mössbauer-effect modelling 208
J. Cieślak, S.M. Dubiel (Cracow, Poland)

Hydrogenation properties of Mg-based Laves phase alloys 219
Y. Tsushio (Hiroshima, Japan), E. Akiba (Ibaraki, Japan)

Materials Science

Young's modulus and internal friction of europium 224
V.Yu. Bodryakov, S.A. Nikitin (Moscow, Russia)

High-temperature reactive phase formation in the Nb-N system 233
M. Joguet, W. Lengauer (Vienna, Austria), M. Bohn (Plouzané/Brest, France), J. Bauer (Rennes, France)

Characterization of nanocrystalline tantalum nitride formed by solid–gas reaction during mechanical alloying 238
Y. Qin, L. Liu, L. Chen (Hefei, P.R. China)

Optimisation of InP growth by molecular beam epitaxy using a valve phosphorus cracker cell 241
S.F. Yoon, H.Q. Zheng (Singapore, Singapore)

Anomalies in cell volume and electronic properties in getter annealed $YBa_2(CuM)_3O_x$, M=Ni 246
H. Oesterreicher, D. Ko (La Jolla, CA, USA)

Studies on co-free rare-earth-based hydrogen storage alloys 254
W.-K. Hu, D.-M. Kim, K.-J. Jang, J.-Y. Lee (Taejon, South Korea)

Mechanically milled Mg composites for hydrogen storage: the relationship between morphology and kinetics 259
K.J. Gross, D. Chartouni, E. Leroy, A. Züttel, L. Schlapbach (Fribourg, Switzerland)

Layer stackings and physical properties of mixed-layer structure phases III: preparation of mixed-layer structure phases of $Re_xNb_{1-x}Se_2$ and $Os_xNb_{1-x}Se_2$ and some electrical and magnetic properties 271
K. Hayashi, Y. Chijimatsu, N. Maeda, T. Ikeuchi, E. Onuma (Okayama, Japan)

Dehydriding properties of ternary $Mg_2Ni_{1-x}Zr_x$ hydrides synthesized by ball milling and annealing 278
Y. Zhang, H. Yang, H. Yuan, E. Yang, Z. Zhou, D. Song (Tianjin, P.R. China)

Magnetic properties of nanocomposite $Nd_2(Fe,Co,M)_{14}B/\alpha$-Fe-bonded magnets 284
J. Jakubowicz, M. Jurczyk (Poznań, Poland)

AB_2 metal hydrides for high-pressure and narrow temperature interval applications 288
M.T. Hagström, J.P. Vanhanen, P.D. Lund (Helsinki, Finland)

C-type dislocations emitted from cracks introduced in a thin foil of $LaNi_5$ 294
H. Inui, T. Yamamoto (Kyoto, Japan), Z. Di (Shanghai, P.R. China), M. Yamaguchi (Kyoto, Japan)

On the synthesis and magnetic properties of $LnFe_{10}Si_2Z_x$ (Z=N,H and Ln=Tb, Er) 297
Q.M. Cheng, J.H. Lin, M.Z. Su (Beijing, P.R. China)

Author Index of Volume 269 301

Subject Index of Volume 269 303

ContentsDirect, the ***free*** e-mail alerting service, delivers the table of contents for this journal directly to your PC, prior to publication. The quickest way to register for **Contents Direct** is via the Internet at: **http://www.elsevier.nl/locate/ContentsDirect**. If you don't have access to the Internet you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk – specifying the title of the publication you wish to register for.